

Current Depression Among Adults—United States, 2006 and 2008  
Morbidity and Mortality Weekly Report, October 1, 2010  
Erratum

**Table 1.** Prevalence of Current Depression by Type Among US Adults by Selected Characteristics, 2006 and 2008

	n*	Major depression % (95% CI)	Other depression % (95% CI)	Any depression % (95% CI)
Total	235,067	4.1 (3.9-4.2)	5.1 (4.9-5.3)	9.1 (8.9-9.4)
<b>Age Group</b>				
18–24	9,944	3.7 (3.1-4.4)	7.3 (6.4-8.4)	11.1 (10.0-12.2)
25–34	27,086	4.2 (3.8-4.7)	5.1 (4.6-5.6)	9.3 (8.6-9.9)
35–44	39,440	4.3 (4.0-4.8)	4.4 (4.0-4.8)	8.7 (8.2-9.3)
45–64	97,642	4.9 (4.7-5.2)	4.7 (4.4-5.0)	9.6 (9.3-10.0)
65+	59,246	2.1 (1.9-2.3)	4.8 (4.5-5.2)	6.9 (6.5-7.3)
<b>Gender</b>				
Male	89,842	3.3 (3.0-3.5)	4.8 (4.5-5.1)	8.0 (7.6-8.4)
Female	145,225	4.8 (4.6-5.1)	5.3 (5.1-5.6)	10.2 (9.8-10.5)
<b>Race/ethnicity</b>				
White, non- Hispanic	183,563	3.7 (3.6-3.9)	4.2 (4.1-4.4)	8.0 (7.7-8.2)
Black, non- Hispanic	17,604	5.0 (4.5-5.6)	7.9 (7.1-8.8)	12.9 (11.9-14.0)
Hispanic	18,391	4.7 (4.1-5.4)	7.0 (6.2-7.8)	11.7 (10.8-12.7)
Other, non- Hispanic <sup>a</sup>	13,528	5.1 (4.4-6.0)	5.6 (4.8-6.5)	10.7 (9.6-11.9)
<b>Education</b>				
< High school	21,463	8.1 (7.4-9.0)	9.2 (8.4-10.1)	17.4 (16.2-18.6)
High school graduate	68,250	4.9 (4.6-5.3)	6.4 (6.0-6.8)	11.3 (10.8-11.9)
Some college or greater	145,020	3.0 (2.8-3.2)	3.7 (3.5-3.9)	6.7 (6.4-6.9)
<b>Marital status</b>				
Married	133,642	2.7 (2.6-2.9)	3.9 (3.7-4.1)	6.6 (6.4-6.9)
Previously	65,789	7.7 (7.3-8.2)	6.9 (6.5-7.4)	14.6 (14.0-15.2)

Current Depression Among Adults—United States, 2006 and 2008  
Morbidity and Mortality Weekly Report, October 1, 2010

Erratum

married <sup>b</sup>				
Never married <sup>c</sup>	34,850	5.0 (4.6-5.5)	6.7 (6.2-7.4)	11.8 (11.0-12.5)
Employment status				
Employed	133,951	2.4 (2.3-2.6)	4.1 (3.9-4.4)	6.6 (6.3-6.8)
Unemployed	8,991	11.4 (10.2-12.7)	10.1 (8.8-11.6)	21.5 (19.8-23.3)
Retired	55,172	2.1 (1.9-2.3)	4.3 (4.0-4.7)	6.4 (6.0-6.8)
Unable to work	13,054	25.9 (24.3-27.5)	13.5 (12.3-14.8)	39.3 (37.6-41.1)
Homemaker, student	23,447	3.9 (3.4-4.4)	5.5 (4.8-6.2)	9.3 (8.5-10.2)
Healthcare plan				
Yes	208,323	3.6 (3.4-3.7)	4.5 (4.3-4.7)	8.0 (7.8-8.3)
No	26,265	7.0 (6.4-7.6)	8.2 (7.5-9.0)	15.2 (14.2-16.1)

a Asian, non-Hispanic; Native Hawaiian/ Pacific Islander, non-Hispanic; American Indian/Alaska Native, non-Hispanic; other race, non-Hispanic; multirace, non-Hispanic.

b Previously married includes those divorced, widowed or separated.

c Never married includes those never married or member of unmarried couple.

\* unweighted sample sizes may not sum to survey total because of missing responses.

Current Depression Among Adults—United States, 2006 and 2008  
Morbidity and Mortality Weekly Report, October 1, 2010  
Erratum

**Table 2.** Age Standardized Prevalence of Current Depression by Type Among US Adults by State, 2006 and 2008

State	N	Major depression % (95% CI)	Other depression % (95% CI)	Any depression % (95% CI)
Alabama	2,758	5.5 (4.6-6.7)	7.7 (5.9-10.0)	13.2 (11.2-15.6)
Alaska	1,806	2.8 (2.1-3.8)	3.6 (2.6-4.9)	6.4 (5.1-7.9)
Arizona	5,314	4.6 (3.2-6.4)	6.2 (4.8-7.9)	10.7 (8.8-13.0)
Arkansas	4,809	5.8 (5.0-6.7)	6.3 (5.4-7.3)	12.0 (10.9-13.3)
California	5,177	4.3 (3.6-5.0)	4.9 (4.2-5.8)	9.2 (8.2-10.3)
Colorado*	5,093	3.4 (2.7-4.3)	3.2 (2.6-3.9)	6.6 (5.6-7.6)
Connecticut*	4,109	2.4 (1.9-3.0)	4.2 (3.4-5.2)	6.6 (5.6-7.6)
Delaware	3,780	4.1 (3.3-5.0)	6.3 (5.0-8.0)	10.4 (8.9-12.2)
District of Columbia	3,485	3.4 (2.5-4.6)	5.1 (4.1-6.2)	8.5 (7.2-10.0)
Florida	9,298	4.0 (3.3-4.8)	5.9 (5.1-6.8)	9.9 (8.8-11.0)
Georgia	6,485	4.1 (3.4-4.8)	4.5 (3.8-5.2)	8.5 (7.6-9.5)
Hawaii	5,901	3.8 (3.2-4.6)	6.0 (5.2-7.0)	9.8 (8.8-11.0)
Idaho	4,570	3.4 (2.8-4.1)	4.3 (3.5-5.2)	7.7 (6.7-8.8)
Illinois	4,879	3.9 (3.2-4.7)	6.3 (5.3-7.5)	10.2 (9.0-11.5)
Indiana	5,746	4.8 (4.1-5.5)	4.3 (3.7-5.0)	9.1 (8.2-10.1)
Iowa	4,692	2.5 (2.0-3.1)	3.8 (3.1-4.6)	6.3 (5.4-7.3)
Kansas*	3,783	3.9 (3.1-5.0)	4.5 (3.6-5.7)	8.4 (7.2-9.9)
Kentucky				
Louisiana	5,388	3.7 (3.1-4.4)	7.2 (6.3-8.2)	10.9 (9.8-12.0)
Maine*	3,724	4.0 (3.3-5.0)	4.1 (3.3-5.0)	8.1 (7.0-9.4)
Maryland*	4,261	3.2 (2.5-4.1)	3.9 (3.1-4.8)	7.1 (6.0-8.3)
Massachusetts*	5,835	3.0 (2.3-3.8)	4.5 (3.6-5.8)	7.5 (6.3-8.9)
Michigan	5,077	4.7 (4.0-5.5)	5.6 (4.8-6.5)	10.3 (9.2-11.4)
Minnesota	4,119	2.5 (2.0-3.0)	3.5 (2.9-4.2)	5.9 (5.2-6.8)
Mississippi	6,387	6.8 (6.0-7.8)	8.1 (7.1-9.3)	14.9 (13.6-16.4)
Missouri	4,771	4.9 (4.0-5.9)	5.0 (4.1-6.1)	9.9 (8.6-11.3)
Montana	5,262	2.8 (2.3-3.3)	3.9 (3.2-4.6)	6.6 (5.8-7.5)
Nebraska*	4,840	3.2 (2.3-4.4)	5.2 (3.8-6.9)	8.4 (6.8-10.3)
Nevada	3,222	4.7 (3.6-6.2)	5.2 (4.1-6.5)	9.9 (8.3-11.7)
New Hampshire	5,230	3.5 (2.8-4.3)	3.8 (3.1-4.7)	7.3 (6.3-8.4)
New Jersey				
New Mexico	5,745	4.2 (3.6-4.9)	4.6 (3.9-5.5)	8.8 (7.9-9.8)
New York*	3,444	2.7 (2.2-3.4)	5.2 (4.3-6.4)	8.0 (6.9-9.2)
North Carolina				
North Dakota	4,482	1.9 (1.5-2.4)	2.9 (2.3-3.6)	4.8 (4.1-5.6)
Ohio*	5,797	4.8 (3.9-5.8)	4.1 (3.4-4.9)	8.8 (7.7-10.1)
Oklahoma	6,117	5.8 (5.2-6.6)	5.6 (4.9-6.4)	11.4 (10.5-12.5)

Current Depression Among Adults—United States, 2006 and 2008  
Morbidity and Mortality Weekly Report, October 1, 2010

Erratum

Oregon	4,294	3.9 (3.2-4.9)	3.2 (2.6-4.0)	7.1 (6.2-8.3)
Pennsylvania				
Rhode Island	4,002	4.0 (3.3-4.9)	4.9 (3.9-6.0)	8.9 (7.7-10.2)
South Carolina	7,853	4.5 (3.8-5.2)	5.3 (4.6-6.1)	9.8 (8.8-10.8)
South Dakota				
Tennessee	3,860	5.3 (4.4-6.3)	5.7 (4.7-7.0)	11.0 (9.6-12.5)
Texas	5,856	4.2 (3.4-5.2)	4.9 (4.1-5.8)	9.1 (7.9-10.4)
Utah	4,621	4.2 (3.5-5.1)	4.8 (4.0-5.6)	8.9 (7.9-10.1)
Vermont	6,185	3.6 (3.0-4.2)	4.3 (3.6-5.2)	7.9 (7.0-8.9)
Virginia	4,636	3.4 (2.4-4.6)	3.7 (3.0-4.6)	7.1 (5.8-8.5)
Washington *	9,382	3.7 (3.2-4.3)	4.0 (3.5-4.7)	7.4 (7.0-8.6)
West Virginia	3,439	7.0 (6.0-8.1)	7.4 (6.3-8.7)	14.4 (13.0-16.0)
Wisconsin	4,228	3.1 (2.5-3.8)	3.6 (2.9-4.5)	6.7 (5.8-7.8)
Wyoming	4,495	3.7 (3.1-4.4)	4.0 (3.3-4.8)	7.7 (6.8-8.7)
Puerto Rico	4,181	6.0 (5.3-6.9)	9.0 (8.0-10.1)	15.0 (13.8-16.3)
Virgin Islands	2,649	2.7 (2.0-3.6)	6.5 (5.4-7.9)	9.2 (7.9-10.8)

% = Percent; 95% CI= 95% confidence interval.

\*split sample states